



# The Labnaf Strategy & Architecture Framework

# Labnaf Language Transformer

## User Guide

See also the “**Labnaf Language Transformer - Reference Guide**”

# WARNING

**NEVER** use the language transformer on your production repository before performing all necessary tests.

**ALWAYS** test your language transformer commands using a repository backup.


**ALWAYS** carefully check the resulting transformations and possible side effects. For example items could be deleted because you misspelled a type.

**ALWAYS** remember that type and stereotype names are case sensitive.


*The Labnaf Language Transformer has been tested using Sparx Systems' Enterprise Architect versions 13.5 to 15.1*

# Labnaf Customization Steps

1. Customize the language following your organization requirements




2. Adapt existing repository content





# Labnaf Language Transformer

1. Customize the language




2. Adapt existing repository content










**Transform any language...**




**We all speak the same language**



... in any direction




One **Single**  
Strategy & Architecture  
Modeling **Language**



You are never  
locked in  
Labnaf !

# The Language Transformer adapts the language in existing repository content

- **ChangeElementType**
- **ChangeConnectorType**
- **ChangeDiagramType**
- **ChangeDiagramTypesDefinedInCsv**
- **TemplateMetamodelFromActiveMetamodel**
- **TvRename**
- **TvDelete**



See the [Language Transformer Reference Guide](#) for command specific information.

# Prerequisites

Install the Language Transformer using the

**Installer/LabnafLanguageTransformerSetup.msi**


Unzip the sample language transformations files stored in

**Doc/SampleLanguageTransformations.zip**



# Prerequisites

Review the content of the Sample language transformations folder that you unzipped



For each Language Transformer command, there is a sample folder with an example. Folder names are language transformer command names.

The folders have a common structure. The file names are about the same. The content of the “Run.cmd” and “Test.eap” files are specific to each folder/command.

# Development Lifecycle

- To transform a language in a repository, you will need a combination of transformer commands.
- We advise to address each command separately and in that order:
  - **ChangeElementType**
  - **ChangeConnectorType**
  - **ChangeDiagramType** or **ChangeDiagramTypesDefinedInCsv**
  - **TvRename**
  - **TvDelete**

**The development lifecycle is the same for each command.**

**Keep backups of your different versions.**


## Develop and Test Your Script (cont.)

### Edit and run the test script

- Edit **Run.cmd**. Put your own transformation commands
- Execute **Run.cmd**


### See the language transformation results

- Open **Test.eap**
- **In Sparx EA**
  - Reload the project
    - => the shapes are updated in the diagram
  - Remove the shapes from the diagram and move the back in the diagram
    - => the icons are updated in the browser window



Keep backups of your different versions.

## Use the Excel Templates to define your mappings



- Map source to target types and stereotypes in Excel

	A	B	C	D	E	F	G	H	I
1	Inxf	ChangeElementType	{RepositoryFilePath}	{FromType}	{FromStereoType}	Component	LABN_AccessPoint	{ToTagName}	{ToTagValue}
2	Inxf	ChangeElementType	{RepositoryFilePath}	{FromType}	{FromStereoType}	Activity	LABN_Activity	{ToTagName}	{ToTagValue}
3	Inxf	ChangeElementType	{RepositoryFilePath}	{FromType}	{FromStereoType}	Component	LABN_Application	{ToTagName}	{ToTagValue}
4	Inxf	ChangeElementType	{RepositoryFilePath}	{FromType}	{FromStereoType}	Collaboration	LABN_ApplicationAsAService	{ToTagName}	{ToTagValue}
5	Inxf	ChangeElementType	{RepositoryFilePath}	{FromType}	{FromStereoType}	Component	LABN_ApplicationComponent	{ToTagName}	{ToTagValue}

- Create your transformation commands based on the Excel



## Develop and Test Your Script

### Adapt the test data as needed

- Execute **Renew.cmd**
  - to copy the backup database into a fresh **Test.eap**
- Open and edit **Test.eap**.
  - Replace the content by you own test data
  - Close **Test.eap**
- Execute "**zCopyTest\_to\_Test.eap.BU.cmd**"
  - to create a new backup database from **Test.eap**. So you will then be able to Renew the test database with your own data before running each test.

Keep backups of your different versions.

## Test on real data

- Backup your PROD repository into an Access repository (EAP).
- Replace “Test.eap” by that backup repository.
- Execute the transformation script “Run.eap” and see the result

## Run your transformation script on the PROD repository

- Ensure nobody is working on the repository
- Make a backup of you PROD repository
- Replace “Test.eap” by a shortcut to your PROD repository.
- Execute the transformation script “Run.eap” and see the results

Keep backups of your different versions.

# To create a **new metamodel** from scratch

- Use **TemplateMetamodelFromActiveMetamodel**